Explore color, dimension and detail.

PET Acoustic Panels

Wallworks eKŌR PET acoustic panels provide outstanding sound absorption and can instantly create distinctive work environments







Description

eKŌR panels are sound absorbing panels developed with environmental friendliness in mind. eKŌR offers additional benefits compared to traditional acoustic board material that allows it to be installed as is with no covering. These include higher tackability and resiliency, as well as being free of allergens, toxins, irritants, binding agents and formaldehyde.

Core Material 60% PET-recycled fiber and 40% PET-virgin fiber, and are 100% recyclable.

Fire Performance

ASTM E84 and CAN/ULC S102 FSR

Thickness

Available in 3mm, 9mm, 12mm, 25mm.

Applications

Theaters & home theaters
Gymnasiums & multipurpose rooms
Commercial & office buildings
Studios & production houses
Restaurants & night clubs
Government & municipal buildings
Schools & universities
Industrial & manufacturing facilities

Panel Sizes

Standard 1200mm x 2400mm Custom shapes, sizes and perforations available

Mounting Options

Concealed Nail, Decor Screw, Impalit Strip, two-sided tape, or Adhesive direct to wall

Acoustical Performance

| Thickness | Mount | 125Hz | 250Hz | 500Hz | 1KHz | 2KHz | 4KHz | NRC |
|-----------|-----------|-------|-------|-------|------|------|------|------|
| 1/2" | Туре А | 0.07 | 0.09 | 0.16 | 0.47 | 0.91 | 0.75 | 0.40 |
| 1/2" | Type E200 | 0.69 | 0.92 | 0.96 | 0.76 | 0.79 | 0.74 | 0.85 |

Type A - signifies panels that are mounted/installed directly onto a wall or ceiling. Type E200 - signifies panels that are installed with 200mm air space behind.















Standard Colours - 9mm thickness

B-08 Red

B-51 Emerald





























Note: Colours may vary slightly. Control samples recommended prior to ordering.

Standard Colours - 9mm thickness

B-03 Sesame Black



B-19 Navy Blue

B-33 Light Pink







B-41 Milk Coffee



B-44 Walnut



B-14 Light Blue



B-26 Celadon



B-37 African Grey



B-49 Violet



B-17 Dark Green



B-32 Brown



B-39 Red Coffee



B-50 Deep Violet



B-28 Gold Bronze




Note: Colours may vary slightly. Control samples recommended prior to ordering.





Standard Colours - 12mm thickness







A-14 Lake Blue



A-18 Red



A-01 White



A-09 Khaki



A-15 Mustard



A-20 Honeybee Yellow



A-05 Sesame Black



A-11 Water Grey



A-16 Turquoise




A-21 Brown



A-07 African Grey



A-13 Black



A-17 Orange



A-24 Sky Blue



Note: Colours may vary slightly. Control samples recommended prior to ordering.







Standard Colours - 3mm thickness



works.com







éKÖR Cubics

PET Acoustic Panels



Bring surfaces to life using progressive, attractive, distinctive, efficient, and cost effective solutions ~ You can take your creativity for a walk, we'll meet you there!





Description

Cubics Acoustic Panels are sound absorbing panels developed with environmental friendliness in mind. Cubics Acoustic Panels offer additional benefits compared to traditional acoustic board material. They are installed as a completely finished surface, requiring no additional time or materials for covering and are 100% free of allergens, toxins, irritants, binding agents and formaldehyde.

Core Material

60% PET-recycled fiber and 40% PET-virgin fiber, and are 100% recyclable.

Fire Performance

ASTM E84 and CAN/ULC S102 FSR

Thickness

Varies according to profile.

Panel Sizes

Varies according to profile.

Mounting Options

Concealed Nail, Decor Screw, two-sided tape, or Adhesive direct to wall

Applications

Theaters & home theaters
Gymnasiums & multipurpose rooms
Commercial & office buildings
Studios & production houses
Restaurants & night clubs
Government & municipal buildings
Schools & universities
Industrial & manufacturing facilities

Acoustical Performance

| 125 | 250 | 500 | 1000 | 2000 | 4000 | *NRC |
|------|------|------|------|------|------|------|
| 0.56 | 0.96 | 1.06 | 0.71 | 0.76 | 0.78 | 0.80 |

^{*}Noise Reduction Co-efficient Test Method ISO 354:2003

f











CS Series



CS-01 200x200x35mm & 600x600x50mm



CS-02 200x200x30mm



CS-03 600x600x74mm



CS-04 250x250x60mm



CS-05 200x200x30mm



CS-06 200x200x30mm

CM Series



CM-02 300x300x130mm



CM-03 500x500x60mm



CM-04 500x500x60mm



CM-05 500x500x60mm







CF Series



CF-01 273x100x35mm



CF-04 300x80x20mm



CF-02 160x140x25mm



CF-05 160x140x50mm





CF-03 470x405x60mm



CF-06 300x300x25mm



CL-01 600x600x74mm



CL-04 600x600x60mm



CL-02 600x600x74mm



CL-05 600x600x74mm



CL-03 600x600x74mm



CL-06 600x600x74mm













Standard Colors









B-13 Black































B-33 Light Pink



B-37 African Grey





B-44 Walnut

B-49 Violet

B-50 Deep Violet

B-28 Gold Bronze



Note: Colors may vary slightly. Control samples recommended prior to ordering.





